

Steps to remove paint imperfections

1



Micro polijstschijs (ja 9 micron (00127)



401Q Magic schuurpapier P2000 / P2500 (09546, 02045)



265L Micro polijstfilm P1200 / P1500 (50239, 50238)

2



Trizact schuurmateriaal (50414, 50415, 50079)

Polijsten

3



50417

+



50487

+

Controleer het resultaat met Finish Control Spray



55535

+



60671

Tot hoogglans brengen

4



80349

+



50488

+



50400

Machine lacquer correction and polishing system

Schuren

<input type="checkbox"/>	3M 260L P800 Hookit schijf (150 mm) Depending on the severity of the damage. (eccentric rotating).	51155
<input type="checkbox"/>	3M 260L P1000 Hookit schijf (150 mm) When sanded with 260L P800, use the soft interface pad (Art No. 50544 or 50545). (eccentric rotating).	51157
<input type="checkbox"/>	3M 260L P1500 Hookit schijf (150 mm) Use soft interface pad no. 50544 or 50545. (eccentric rotating).	51154
<input type="checkbox"/>	3M Trizact™ Hookit P3000 schijf (150 mm) Sanding with a (light) damp sanding disk. (eccentric rotating).	50414
<input type="checkbox"/>	3M Trizact™ Hookit 6000 schijf (150 mm) Sanding with a (light) damp sanding disk. (eccentric rotating).	51130

Polijsten

♦	3M Fast Cut Plus XL Compound (green cap) Use 3M electric polisher with moderate pressure between 900/1000 rpm. For cleaning out until another moist layer remains, maximum rpm (2500 rpm) minimizes pressure. In combination with the 3M Sponsmop green no. 50487 (supported by support pad 09552). Removing residual compound with 3M Finish Control Spray No. 55535.	51052
♦	3M Perfect-it™ Extra Fine Compound (Yellow cap) Use 3M electric polisher with moderate pressure between 900/1000 rpm. For drying out (can reach dry surface) maximum speed (2500 rpm) minimizing pressure. In combination with the 3M Wavelpad yellow no. 50488 (supported by support pad 09552). Removing residual compound with 3M Finish Control Spray No. 55535.	80349

Extra

♦	3M Perfect-it™ Ultrafina™ SE polijspasta (Darkblue cap) Lubricant for removing machine turns and hologram effects	50383
♦	3M Polish Rosa Was (pink cap) Simply put on a soft cloth. The laundry protects for a long time, leaving the perfect finish for a long time. The product does not stain plastics and rubbers. Polish Rosa is quick and easy to clean and clean.	80345

Pay attention;

Move the sanding machine continuously over the surface during sanding, to prevent refills.

Move the polisher continuously over the surface while brushing to prevent heat build-up in the surface.

© 3M 2013. All Rights Reserved.